
Pro-Stitcher Quick Reference Guide



This guide will help you through the learning curve of the Pro-Stitcher Lite user interface. Find commonly-used features and become familiar with new features you'll love using.



LEARNING PRO-STITCHER LITE

Online Videos & Tutorials

https://ProStitcher.com/Pro-Stitcher-Lite-Education/

WHERE'S THE USER MANUAL?

Your Pro-Stitcher Lite came with Installation Instructions that includes safety information and troubleshooting tips.

The software operation and reference information is available as an on-screen, context-sensitive help system and has an indexed and hyperlinked reference guide. Both are accessible from within Pro-Stitcher Lite. This enables you to look up instructions related to a specific function while you are using the software.

You may also download an Adobe PDF version of the Reference Guide that may be printed if you prefer. Download the reference guide at www.ProStitcher.com/Lite.

Accessing On-Screen Help for Pro-Stitcher Lite

Context-sensitive on-screen help: The context-sensitive help enables you to point to a button or function within Pro-Stitcher Lite and display a pop-up help window describing just that feature. The information is usually more concise than using the Reference Guide. If after reading the context-sensitive help you want more information, refer to the Reference Guide.

Reference Guide: The reference guide is structured much like other help systems in Microsoft Windows-based software. It has a table of contents, an index, search capability, and hyperlinks between help topics.

To Do This	Select This	Then Do This
Display context-sensitive on-screen help	?	Select a Pro-Stitcher Lite tab, button, or area on the workspace to display a text box with information about that function.
Access the reference guide	i	Select the reference guide Help tab, then select the Help button in the Ribbon.

FIND COMMONLY USED FEATURES

General instructions: To access the various Pro-Stitcher Lite functions, you will typically select one of the tabs which displays a ribbon of buttons below the tabs. When you select a ribbon button, customization options for that function display in a sidebar along the right side of the screen. (If the Sidebar is closed, choose the Open Sidebar arrow button at the upper-right corner by the Pro-Stitcher Lite workspace.)

To Do This	Select This	Then Do This
Open, close, or save one or more design(s)	File tab	Choose Design > Open , Close > Selected , or Save > Selected from the Ribbon.
Shut down Pro-Stitcher Lite	File tab	Choose the File tab, and then choose Shutdown from the Ribbon. From the menu choose Shut down to shut down the Pro-Stitcher Lite tablet and the software; choose Reboot to restart the tablet and the software; or Exit to Windows to shut down the software but return to the Windows desktop.
Show or hide the design, the area box, the jump points, start and stop points, the grid lines, the scroll bars, or the rulers	View tab	Choose the items from the Ribbon that you want to display or not.
Duplicate or clear a design	Edit tab	Choose Duplicate or Clear All from the Ribbon.
Create an area	Area tab	Choose 2-Corner or Multi-Point from the Ribbon; then fine tune on the Sidebar.
Baseline the design modifications	Modify tab	Choose Baseline from the Ribbon; you can also assign the Baseline button to the Quick Access Toolbar.

To Do This	Select This	Then Do This
Rotate, flip, or mirror a single or grouped design	Modify tab	Choose Rotate ; choose either Group or Single on the sidebar; then choose from the rotate options.
Crop the design relative to an area	Modify tab	Create the area. Choose Crop from the Ribbon, choose Outside or Inside on the Sidebar. Then indicate whether to perform a tie-off at the jump points (disable the Edges button) or to stitch between jump points (select the Edges button).
Crop the design based on the design's start and end points	Modify tab	Move the design's start and/or end points (Pro-Stitcher > New Start/End). Then choose Crop from the Ribbon and Start-End on the sidebar. Then indicate whether to perform a tie-off at the jump points (disable the Edges button) or to stitch between jump points (select the Edges button).
Change the dimensions of the design	Modify tab	Choose Resize from the Ribbon. Choose Lock to lock the aspect ratio if desired. Choose either Width , Height , Original Width , or Original Height on the sidebar; then use the Plus (+) and Minus (-) to adjust the dimension.
Skew the design	Modify tab	Create an area and open a design. Select Modify > Skew to open the Skew sidebar. Use Skew to fit design within convex areas, such as rectangles and hexagons. Choose Border Skew to fit design within concave areas with four or more points, such as stars, crosses, or scalloped borders.
Repeat designs in the workspace	Repeat tab	Add or remove design repeats using the Plus (+) and Minus (-) buttons, or select the Fill button to have Pro-Stitcher Lite automatically calculate the optimal number of repeats both horizontally and vertically. Add more horizontal or vertical repeats if desired, and then stretch them vertically and horizontally to fit them to the area.
Wrap repeated designs in the workspace	Repeat tab	Offset rows of repeated designs, or shift the entire design window by selecting the Wrap button.
Stitch perfectly straight lines across the quilt	Pro-Stitcher tab	Use Channel Lock to stitch horizontally or vertically, or use Move with the Stitch button selected to stitch up, down, left, right, or diagonally.
Quilt a design	Pro-Stitcher tab	Select Quilt from the Ribbon (Make sure the Stitch button is selected in the Sidebar). Then select Run .
Recover from a thread break or running out of bobbin thread	Pro-Stitcher tab	Use New Start & End to change the start point of the design to the position where Pro-Stitcher Lite needs to resume stitching.
Set up frame space	Area tab	Frame Space must be set up to stitch. Move machine to top left corner of frame. Select Frame Space on the ribbon. In the Sidebar, select 2-Corner . Move machine to bottom right corner of frame, and select 2-Corner again.

SIDEBAR RIBBON BUTTON REFERENCE

FILE TAB RIBBON BUTTONS



Design: Opens a design file. Navigate through your computer's file system to locate the design file you want to use. The drop-down menu also shows the design files you most recently used for quick access.



Area: Open an area file. Navigate through your computer's file system to locate the area file you want to use. The drop-down menu also shows the area files you most recently used for quick access. You can have only one area open at a time.



Save: Select to save the selected design(s) or the area.



Close: Select to close the selected design(s) or the area. You will be prompted to save any objects that have had changes.



Clear All: Select to close everything in the workspace. Be sure to save anything you want to keep before clearing.



Update: After downloading the update to a USB drive, insert the drive into the Pro-Stitcher Lite computer and select this button to update the Pro-Stitcher Lite software.



Shut Down: Select to exit Pro-Stitcher Lite. From the menu, select **Shut Down** to quit the software and shut down the tablet computer; select **Reboot** to restart both the tablet computer and software; or select **Exit to Windows** to exit the software but leave the tablet computer on.

EDIT TAB RIBBON BUTTONS




History: Use to show a list of your most recent actions with Pro-Stitcher Lite. Select an item on the History list to return the design to the state it was when that function was performed. Or select Clear **History** to clear the entire design history.



Undo: Use the **Undo** button to undo the last function performed. Continue selecting **Undo** as needed to get the design back to where you want it.



Redo: If you change your mind about the last Undo action, select the Redo button.





Copy: Copies the selected design(s).



Paste: Pastes the copied design(s), positioning the design start point at the needle position (indicated by the crosshairs).



Duplicate: Select the design(s) you want to duplicate and then choose the **Duplicate** button. If one design is selected, only that design is duplicated. If multiple designs are selected, all selected designs are duplicated.



Clear All: Select to close everything in the workspace. Be sure to save anything you want to keep before clearing.

AREA TAB RIBBON BUTTONS



File: Use to open an area file you have saved. Navigate through your computer's file system to locate the area file you want to use. The drop-down menu also shows the area files you most recently used for quick access.



Select: Selects the area in the workspace. The area turns from a purple line to a green line to indicate it is selected. You can then use your finger to drag and drop it, or use the Modify tab features to rotate, reposition, or resize the area.



Clear: Select to clear the current area.



2 Corner: Use to create a 2-corner (rectangular) area. Position the needle where you want the area to begin and select 2 Corner, usually the upper-left corner of the area. Then move the crosshairs to the opposite corner of the area and press 2 Corner again. Fine tune the dimensions of the area in the Area



Multi-Point: Use to create a multi-point (concave or convex) area. Position the needle where you want the area to begin and select **Multi-Point**. Move the needle to the next point along the perimeter of the area and select Multi-Point again. Continue in this manner until you have created an area.



Frame Space: Use the Frame Space option to create a rectangle or square box on the workspace to represent the frame space available. Frame Space must be set up in order to quilt designs.

MODIFY TAB RIBBON BUTTONS



Baseline: Use the Baseline button to "freeze" the modifications you have made to the design. Once you baseline, all modifications treat the design as a new unaltered design. However, baseline does not save the design to your computer.



Rotate: Select the Rotate button to open the Rotate Sidebar. You can rotate a single design or multiple designs.



Reposition: Use the Reposition options to position a design relative to the needle position (represented by the crosshairs on the screen).



Resize: Select the Resize button to open the Resize Sidebar. You can adjust the height and width, as well as the original height and original width (if the design has been rotated). You may also lock the aspect ratio so the height and width increase or decrease proportionately.



Crop: Use the Crop function in conjunction with a defined area. After a design has been loaded and modified as needed, mark an area that represents the region to be cropped. Select the **Crop** button to open the Crop Sidebar. If the Crop options are not available, an area has not yet been defined. Crop can be used with new start and end points.



Align: After you create an area, use the Align options to position the design within the area. To open the Align Sidebar, select the **Align** button. Then select from the align button(s) to position the design within the area.



Skew: After you create an area, use the skew options to fit the design within the area. Any further formatting you do to the design will also stretch to the limits of the area. The Skew options aren't available until you define an area and open a design.

REPEAT TAB RIBBON BUTTONS



Basic: Provides several options for repeating designs both vertically and horizontally. If you have created an area, you can also have Pro-Stitcher Lite determine how many repeats will fit within the area.



Wrap: Provides several options for wrapping, or offsetting, designs either vertically or horizontally. Most of these options can be done with or without a defined area.

PRO-STITCHER LITE TAB RIBBON BUTTONS



Half Stitch: Select to cycle the needle either to the up or the down position based on the current position of the needle.



Full Stitch: Select to cycle the needle a full stitch to the up position. If the needle is in the down position, it will move only a half cycle so it stops in the up position. Subsequent presses of the button, however, will cycle a full stitch, always ending with the needle in the up position.



Measure: Select to measure distances in a design or directly on the quilt.



Quilt: Select when you are ready to begin quilting; then select **Run**. If Verify Before Quilt is enabled (Settings Tab > Advanced > General), Pro-Stitcher Lite displays all of the settings for you to review. Press **Proceed** to continue.



Channel Lock: Select this button to have Pro-Stitcher Lite stitch horizontal or vertical lines that are perfectly square with the frame. On the Channel Lock Sidebar, choose either the Horizontal or Vertical button and begin stitching.



Run Status: Select this button to find out why Run Status is not available. Instructions are given to resolve issues so that the Run button becomes available.



Move: The **Move** option enables you to move the quilting machine in any of the 8 directions indicated by the direction arrows by pressing that arrow button. Select the **Continuous** button for the machine to move continuously, select the **Stitch** button to stitch as you press the arrow button, or select both the **Continuous and Stitch** buttons to stitch continuously. Press the **Stop** button that appears to turn off the **Continuous** operation.



New Start & End: Use this button to start quilting a design from some point other than the design's original start point. You may need to do this because the thread breaks, the bobbin runs out, or you simply want to stitch a specific portion of a design. Similarly, you may change the ending point to a point other than the design's original end point.



Record: Pro-Stitcher Lite can record the movement of the quilting machine. The mark function is available in the record sidebar. Use **Mark** to create straight line designs.





Gears: Typically you will engage the Pro-Stitcher Lite motors when using computerized quilting and disengage them for free-motion quilting. Choose the **Gears** button to automatically engage or disengage the motors if you have an EZ Carriage.

VIEW TAB RIBBON BUTTONS



Rulers: Select to hide or show the workspace top and side rulers. This button may be added to the Quick-Access toolbar to quickly turn the rulers on or off.



Grid: Select to hide or show the workspace grid. This button may be added to the Quick-Access toolbar to quickly turn the workspace grid on or off.



Scroll: Select to hide or show the bottom and right-side scroll bars in the workspace. Use the scroll bars to pan up and down or left and right. This button may be added to the Quick-Access toolbar to quickly turn the scroll bars on or off.



Area: Select to hide or show the area box. This button may be added to the Quick-Access toolbar to quickly switch between showing the area box or removing it from view.



Design: Select to hide or show the design from the workspace. This button may be added to the Quick-Access toolbar.



Jumps: Select to hide or show the stitching path between jump points, or places where you need to stop stitching, tie off your thread, and then continue stitching at the next start point. This button may be added to the Quick-Access toolbar.



Start End: Select to hide or show the quilting start and end points in a design. This button may be added to the Quick-Access toolbar

TOOLS TAB RIBBON BUTTONS Icon will appear for installed software only.



Pro-Stitcher Designer: To pass the design to PS Designer, select the **Tools** tab and then select the PS Designer button. This will automatically send the design to PS Designer, which will open up on the tablet. The design will be editable using all the features in PS Designer.


SETTINGS TAB RIBBON BUTTONS



Display: Select to turn on or off Touch Mode, customize the Quick-Access Toolbar, and configure Pro-Stitcher Lite so it works best with your tablet computer.



Defaults: Select to set the Nudge increment.





To customize speed and acceleration:

- Select the Setting tab, then select the Opti-Stitch button.
- Manually adjust speed and acceleration using the slider.



Auto Jump: Select to turn on or off. Set at 3 inches



Stitches per Inch: Select to set the stitches per inch. Touch the Plus Sign (+) to increase or Minus Sign (-) to decrease the stitches per inch. Alternately, touch the number box and type a value directly and press Enter.



Tie-offs: Select to turn On or Off when Pro-Stitcher Lite performs tie-offs.



Pullup: Select to turn On or Off when Pro-Stitcher Lite performs pullups.



Advanced: Settings that are not likely to be used often can be found by selecting the Advanced button. Some of these settings include communications between the quilting machine and Pro-Stitcher Lite, Simulation mode, and other options.

INFORMATION TAB RIBBON BUTTONS



Help: Select to open the on-screen Pro-Stitcher Lite reference guide. It has a table of contents, an index, search capability, and hyperlinks between help topics.



About: Select to open the About box. This is where you will find the Pro-Stitcher Lite version number, as well as the key code you'll need if you decide to purchase any digital designs that are encrypted.